# BIN-SENSE® Direct Quick Start Guide

Install batteries

- Remove the tape from the device.
- Remove the top cover from the device.
- Install two AA batteries (included).
- Place the top cover back on the device.
- Secure the cover in place with the four included screws as shown.

4x screws

Do not install here

Get the app

Download the BIN-SENSE® Mobile app from the App Store (iOS) or Google Play store (Android).

apps.apple.com/ca/app/bin-sense-mobile/id1474104575

play.google.com/store/apps/details?id=com.intragrain.binsensemobile

Connect your device

- Make sure you have Bluetooth and Location Services enabled for the BIN-SENSE® Mobile App.
- Open the app and choose "Create Direct Account".
- Follow the on-screen prompts to set up your account and create a site.
- Choose the "BIN-SENSE® Direct" option and select your BIN-SENSE® device's serial number (located on the sticker on the back of the device) from the list.
- You're now ready to scan cables.

Start monitoring your grain!

- At the bin, plug the sensing cable connector into your BIN-SENSE® Direct device.
- Tap the "Scan Cables" button in the app.
- Choose the "Add It" option to add the sensing cable(s) to a bin. You only need to do this the first time you scan a cable.
- Follow the prompts to select the site and bin where you want to add the sensing cable(s).
    - You can create a new bin (or site) if you don't already have one by choosing "Select a bin", typing a name in the top bar, and then tapping the "Create" button.
- View your grain conditions from the Heatmap tab.
- Go to the Summary tab to change the grain type and bin details.
- Swipe over to the Threshold Settings tab to set your acceptable grain storage conditions.
- Repeat for the rest of your bins.

If you need any assistance, please contact your local dealer.

700012